

new matter?

10/757880 keep in mind  
(some things to keep in mind  
when case comes back)

what does the  
system comprise  
in a  
"no" operative  
condition?

### Amendment to Claims

This listing of Claims will replace all prior versions and listings of claims in this Application.

#### Listing of Claims

Claim 1. (Currently Amended) An on-board, ventilating airflow management system  
dedicated for use in operative association with the electrical sliding-contact zone in an aircraft  
rotary electrical generating device, said system, in operative condition, comprising

an air intake spaced from the electrical generating device, and disposed to intake a

flow of air under circumstances with the aircraft engine operating,

elongate fluid-flow conduit structure having an intake end disposed adjacent said  
air intake for receiving an airflow therefrom, a discharge end located adjacent, and operatively

coupled to, said electrical sliding-contact zone for directing therein the airflow received at the  
conduit structure's said intake end, and a fluid-flow path extending between and communicating  
with said ends, said conduit structure being constructed and disposed to assume substantially the  
full responsibility for the delivery of flowing air into said zone, and

particulate filter structure operatively disposed in said conduit structure's said  
path, intermediate said intake and discharge ends, said filter structure being adapted to prevent  
particle passage into the mentioned operatively associated electrical sliding-contact zone.

Claim 2. (Original) The system of claim 1, wherein said conduit structure, upstream in  
said path from said filter structure, includes a velocity-modifying flow-expansion chamber which  
reduces airflow velocity.

112  
1st +  
second  
as to "what all is  
meant by and  
is encompassed by"

in an amended  
statement of  
in amended  
device use  
in an  
associated  
claim

Claim 3. (Original) The system of claim 1, wherein said conduit structure, intermediate it's said intake and discharge ends further includes liquid trap and drain structure.

Claim 4. (Original) The system of claim 3, wherein said trap and drain structure is gravity operated.

Claim 5. (Original) The system of claim 2, wherein said conduit structure, adjacent the location of said filter structure, includes liquid trap and drain structure.

Claim 6. (Currently Amended) A method for managing ventilating airflow for the electrical sliding-contact zone in an aircraft rotary electrical generating device comprising  
intaking, during operation of the aircraft engine, a flow of air at an airflow location which is functionally upstream from the location of the electrical generating device,  
filtering the thus intaken flow of air to block the passage of particulates entrained in that flow, thus to create a filtered airflow, and  
directing the created, filtered airflow into the mentioned electrical sliding-contact zone in a manner whereby the filtered airflow is substantially all of the ventilating airflow which enters the zone.

112 second?

Claim 7. (Original) The method of claim 6 which further comprises, prior to filtering, reducing the velocity, and expanding the cross-sectional area, of the intaken airflow.

Claim 8. (Original) The method of claim 6 which further comprises, before performing said directing step, trapping and draining liquid entrained in the intaken airflow.

Claim 9. (Original) For use in a vehicle having an engine, an exhaust structure which is furnished for that engine, and an electrical generating device possessing a nominally exposed electrical sliding-contact interface zone, a method for protecting that zone from particulate exhaust effluent emitted by such exhaust structure, said method comprising,

providing a substantially exclusive airflow system which lies operatively intermediate the exhaust structure and the zone for defining substantially the full airflow which reaches that zone, and

within that system, performing particulate filtering at a point which is upstream from the zone.

Claim 10. (Original) The method of claim 9 with respect of which the subject vehicle is an aircraft.

Claim 11. (New) A system in an aircraft comprising  
an electrical generating device,  
an electrical sliding-contact zone in said device,  
an air-intake spaced from said device, and disposed to intake a flow of air under circumstances with the aircraft engine operating,

? - 11? second?  
what all present  
and is encompassed  
by such?  
11? second  
new matter?  
11? 1st  
second?  
what all is  
meant by and  
encompassed  
by such

fluid-flow conduit structure having (a) an intake end disposed adjacent said air intake for receiving an airflow therefrom, (b) a discharge end located adjacent said sliding-contact zone for directing thereinto the airflow received at the conduit structure's said intake end, and (c) a fluid-flow path extending between and communicating with said intake and discharge ends, with said conduit structure being constructed and disposed to assume substantially the full responsibility for the delivery of flowing air into said zone, and

particulate filter structure operatively disposed in said conduit structure's said path intermediate said intake and discharge ends, said filter structure being adapted to prevent particle passage into said electrical sliding-contact zone.

?